

# Time-domain science

- **Explosions** (SNe, GRBs, etc.)
- **Magnetospheric** (Pulsars, magnetars, FRBs?)
- **Propagation effects** (ESEs, scintillation, lensing)
- **Accretion** (Jets, shocks)
- **New phenomena**
  - **known unknowns** (Ultra-long GRBs, GW counterparts, FRBs)
  - **unknown unknowns**

- 50 FRBs at arcsecond precision is more important than 1000 FRBs at  $\sim$ arcminute

- 50 FRBs at arcsecond precision is more important than 1000 FRBs at  $\sim$ arcminute
- We can't do cosmology with FRBs

- 50 FRBs at arcsecond precision is more important than 1000 FRBs at  $\sim$ arcminute
- We can't do cosmology with FRBs
- All transient events (FRBs, GRBs, TDEs etc) should be immediately reported (e.g. via VOWEvent, ATel, GCN) to the world to enable follow-up.

- 50 FRBs at arcsecond precision is more important than 1000 FRBs at  $\sim$ arcminute
- We can't do cosmology with FRBs
- All transient events (FRBs, GRBs, TDEs etc) should be immediately reported (e.g. via VOWEvent, ATel, GCN) to the world to enable follow-up.
- How to avoid designing out possibility of serendipitous discovery?

- 50 FRBs at arcsecond precision is more important than 1000 FRBs at  $\sim$ arcminute
- We can't do cosmology with FRBs
- All transient events (FRBs, GRBs, TDEs etc) should be immediately reported (e.g. via VOWEvent, ATel, GCN) to the world to enable follow-up.
- How to avoid designing out possibility of serendipitous discovery?
- Radio LSST? All-sky all-time broad-band omniscopes